

New York State Medicaid SNF Case-Mix

RUG III Version 5.20 53 Grouper

Resource Utilization Group (RUG)		ADL		RUG	Index	
		Index	Non ADL End Splits		Max	CMI
Rehabilitation						
Ultra High Tx. 720 mins. a week minimum AND 2-3 Disciplines: one 5+days, one 3+days		16 - 18	<i>Extensive Service Qualifier</i>	RUX	1	2.38
		7 - 15		RUL	2	1.98
		16 - 18		RUC	5	1.82
		9 - 15		RUB	10	1.53
		4 - 8		RUA	15	1.37
Very High Tx. 500 mins. a week minimum AND At Least 1 discipline for at least 5 days		16 - 18	<i>Extensive Service Qualifier</i>	RVX	4	1.82
		7 - 15		RVL	9	1.61
		16 - 18		RVC	11	1.53
		9 - 15		RVB	14	1.39
		4 - 8		RVA	22	1.15
High Tx. 325 mins. a week minimum AND 1 discipline, 5 days a week	If 5 day or Read/Rtrn : > 519 min, > 7 days by day 15 & 65+ Min by ARD	13 - 18	<i>Extensive Service Qualifier</i>	RHX	8	1.62
		7 - 12		RHL	12	1.51
		13 - 18		RHC	13	1.4
		8 - 12		RHB	18	1.27
		4 - 7		RHA	25	1.12
Medium Tx. 150 mins. a week 5 days across 3 disciplines	If 5 day or Read/Rtrn: > 239 min, > 7 days by day 15	15 - 18	<i>Extensive Service Qualifier</i>	RMX	3	1.96
		7 - 14		RML	6	1.74
		15 - 18		RMC	19	1.27
		8 - 14		RMB	20	1.22
		4 - 7		RMA	21	1.17
Low 3 + days Tx / 45 min/wk; > 5 days; 2 or more Nursing Rehab		7 - 18	<i>Extensive Service Qualifier</i>	RLX	17	1.34
		14 - 18		RLB	23	1.15
		4 - 13		RLA	32	0.91
Extensive Services (ADL < 7 = SSA)						
Parenteral /IV ,IV medications, Suctioning, Tracheostomy care, Ventilator / Respirator		7 - 18	<i>"Point System": 1 point each for Spec. Care, Clin. Cplx, Imp Cog. RUGs; plus 1 each for IV Meds & Feed</i>	SE3	7	1.7
		7 - 18		SE2	16	1.37
		7 - 18		SE1	24	1.15
Special Care (ADL < 7 = CA)						
MS, Quad or CP w/ ADL > 9; Resp Tx 7 days, Radiation, > 1 (any stage) or one 3 or 4 pressure ulcer; Surg wound, Open Lesion; Tube Fed & Aphasia, Fever w/ Dehy, Pneu, Vomit, Weight loss, Tube Feed		17 - 18	<i>Not Used</i>	SSC	26	1.12
		15 - 16		SSB	28	1.06
		7 - 14		SSA	29	1.03
Clinically Complex						
Pneumonia, Foot infection with treatment, Int. bleed, Dehy, Feed Tube, Burns, Coma, Septicemia, Transfusions, Chemo, Hemiplegia w/ADL>9, Dialysis, Tube Fed, Oxygen Last 14 days: Phys. Visit (V) / order chng (OC): V>0&OC>3 or V>1 & OC>1; Diabetes & 7 day inj & OC >1		17 - 18 D	Signs of Depression	CC2	27	1.12
		17 - 18		CC1	30	0.98
		12 - 16 D	Signs of Depression	CB2	31	0.91
		12 - 16		CB1	33	0.86
		4 - 11 D	Signs of Depressions	CA2	34	0.84
4 - 11	Spec Care qualifier (ADL <7)	CA1	39	0.77		
Impaired Cognition						
Cognitive impairment based on RUG III Cognitive Performance Scale (CPS)		6 - 10	Nursing Rehab (2 or more)	IB2	35	0.88
		6 - 10		IB1	37	0.86
		4 - 5		IA2	45	0.72
		4 - 5		IA1	47	0.67
Behavior Only						
4 + days a week - wandering, physical, verbal abuse, inappropriate behaviour , resists care; or hallucinations, or delusions checked		6 - 10	Nursing Rehab (2 or more)	BB2	42	0.76
		6 - 10		BB1	44	0.73
		4 - 5		BA2	50	0.61
		4 - 5		BA1	52	0.52
Physical Function Reduced						
No clinical conditions captured or maximizer override Nursing Rehab Activities > 1, 6+days per week Passive or Active ROM*, amputation care, splint care Training in dressing, grooming, eating or swallowing Transfer, bed mobility or walking*, communication, scheduled Toileting program or bladder retraining* * Count as one service even if both provided		16 - 18	Nursing Rehab (2 or more)	PE2	36	0.88
		16 - 18		PE1	38	0.86
		11 - 15		PD2	40	0.81
		11 - 15		PD1	41	0.79
		9 - 10		PC2	43	0.74
		9 - 10		PC1	46	0.72
		6 - 8		PB2	49	0.63
		6 - 8		PB1	48	0.64
		4 - 5		PA2	51	0.53
		4 - 5		PA1	53	0.51